Appln. No. 10/599,682 Applicants: U. Issberner et al.

Response to Action dated 07/17/08

Claim Amendments

Please enter the following amended claims in the application. The listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims

1-2. (Cancelled)

- 3. (Currently Amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritol oligomer, or mixtures thereof, wherein the fatty acid eempenent is a mixture containing from about 40% to about 50% by weight of a C_{16} fatty acid and from about 45% to about 55% by weight of a C_{18} fatty acid, and wherein the ester contains less than 0.3% by weight C_{17} fatty acid-containing component acyl-groups and has a melting point of at least 30°C.
- 4. (Currently amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritol oligomer, or mixtures thereof, wherein the fatty acid eempenent has 6 to 22 carbon atoms, and wherein the ester contains less than 0.3% by weight C₁₇ fatty acid-containing component aeyl-groups and has a melting point of at least 30°C, with a percentage content of (a) from about 10% to about 25% by weight monoesters, (b) from about 25% to about 40% by weight diesters, and (c) from about 30% to about 45% by weight triesters.
- 5. (Currently amended) A fatty acid ester mixture of pentaerythritol, a pentaerythritol oligomer, or mixtures thereof, wherein the fatty acid component has 6 to 22 carbon atoms, and wherein the ester contains less than 0.3% by weight C₁₇ fatty acid-containing component acyl-groups and has a melting point of at least 30°C, with a percentage content of (a) from about 12% to about 19% by weight monoesters, (b) from

Appln. No. 10/599,682

Applicants: U. Issberner et al.

Response to Action dated 07/17/08

about 25% to about 35% by weight diesters, (c) from about 30% to about 40% by weight

triesters, and (d) from about 6 to about 11% by weight tetraesters.

6-10. (Cancelled)

11. (Currently amended) A cosmetic and/or pharmaceutical composition comprising

an ester formed by esterification of pentaerythritol, a pentaerythritol oligomer, or

mixtures thereof with C₆₋₂₂ fatty acids, wherein the ester contains less than 0.3% by

weight C₁₇ fatty acid-containing component acyl groups and has a melting point of at

least 30°C.

12. (Previously Presented) The composition according to Claim 11, wherein the ester

comprises (a) from about 5 to about 35% by weight monoesters, (b) from about 20 to

about 50% by weight diesters, and (c) from about 25 to about 50% by weight triesters.

13. (Previously Presented) The composition according to Claim 11, wherein the C_{6-22}

fatty acid is present as a mixture and comprises from about 40% to about 50% by

weight of a C_{16} fatty acid and from about 45% to about 55% by weight of a C_{18} fatty

acid.

14. (Previously Presented) The cosmetic composition according to Claim 11, wherein

the ester is present in a quantity of from about 0.1% to about 20% by weight.

15. (Previously Presented) The cosmetic composition according to Claim 11, further

comprising a wax component.

16. (Previously Presented) The cosmetic composition according to Claim 15, wherein

the wax component is selected from the group consisting of C₁₂₋₂₄ fatty alcohols and

C₁₂₋₂₄ partial glycerides.

-3-

Appln. No. 10/599.682 Applicants: U. Issberner et al.

Response to Action dated 07/17/08

17 (Previously Presented) The cosmetic composition according to Claim 11, further comprising at least one nonionic surfactant.

- 18. (Previously Presented) The cosmetic composition according to Claim 17, wherein the nonionic surfactant is selected from the group consisting of alkyl and alkenyl oligoglycosides.
- (Previously Presented) The cosmetic composition according to Claim 11, further 19. comprising at least one oil component which is liquid at 25°C.
- 20. (Previously Presented) The cosmetic composition according to Claim 11, comprising:
 - (a) from about 0.1% to about 10% by weight of the ester;
 - (b) from about 1% to about 25% by weight of at least one oil component which is liquid at 25°C:
 - (c) from about 0.1% to about 5% by weight of a C₁₂₋₂₄ fatty alcohol, a C12-14 partial glyceride, and mixtures thereof:
 - (d) from about 0.5% to about 10% by weight of a C₈₋₂₄ alkyl oligoglucoside; and
 - (e) water.
- 21 (New) A fatty acid ester mixture of pentaerythritol, wherein the fatty acid contains 6 to 22 carbon atoms, and wherein said ester mixture contains less than 0.3% by weight of C₁₇ fatty acid-containing component, and has a melting point of at least 30°C.